

|  |   |  |
|--|---|--|
|  | <b>CPSIA<br/>GENERAL CERTIFICATE OF<br/>CONFORMITY</b>  |  |
| ITEM NUMBER  | <b>972540</b>   |  |
| ITEM DESCRIPTION   | <b>DREW GRAD BEAR</b>   |  |
| The sample described above complies with the following CPSIA standards/regulations<br>(check all that apply) |   |  |
| <b>X</b>   | Lead Content in Surface Coatings, 16 CFR 1303   |  |
| <b>X</b>   | Lead Content in Substrates, CPSIA / HR4040  |  |
|  | Phthalates in Toy & Childcare Items, CPSIA 108  |  |
| <b>X</b>   | Flammability - Solid or Fabric, ASTM F963-07  |  |
| <b>X</b>   | Stuffing Cleanliness - Fiber or Loose Filler, ASTM F963-07  |  |
| <b>X</b>   | Toxic Elements, ASTM F963-07  |  |
| <b>X</b>   | Physical & Mechanical Hazards, ASTM F963-07   |  |
|  |   |  |
|  |   |  |
| US IMPORTER  | burton + BURTON<br>325 Cleveland Rd., Bogart GA 30622<br>(706) 548-1588   |  |
| CONTACT  | Sandy Pitts (spitts@burtonandburton.com)  |  |
| DATE AND PLACE OF<br>MANUFACTURE   | CHINA<br>11/10/09   |  |
| DATE TESTED  | 1/23/2009   |  |
| TESTING<br>LABORATORY  | Intertek Testing Services Shanghai Ltd.<br>Block B, Jinling Business Square<br>No. 801 Yi Shan Road<br>Shanghai 200233, China<br>86 21 61279709 |  |